

AL-744 (FAA)

FORT LAUDERDALE, FLORIDA

RNAV 1- DME/DME/IRU or GPS.
CANOA Transition RNAV 1-GPS.
MAXIM Transition RNAV 1-GPS.
IKBIX Transition RNAV 1-GPS.

RADAR required.

See following page
for arrival routes.

$$\frac{\text{BHHA}}{7000}$$

KERRA
7000

HULKY
9000

KARTR
FL190

46°/

15000 PYREX 280K

PAMPR

STOGY
FI 200

PEAKY

IKBIX

9000
*1800
-1680
(47)

Free-body diagram of a beam segment from the left support to a point 10 m to the right. The left end is a pin support with a reaction force of 16 kN acting upwards. At the right end, there is a downward point load of 3 kN and a counter-clockwise moment of 10 kN-m.

KARTR
FL190

46°/

15000 PYREX 280K

PAMPR

STOGY
FI 200

PEAKY

IKBIX

NOTE: Jet aircraft only.

NOTE: Expect "descend via" clearance and landing direction (east or west) by ARTCC. For vertical navigation planning, FLL landing east, select Rwy 10R, FLL landing west, select Rwy 28R.

NOTE: Do not file CITAG, HULKY, KARTR, or STOGY Transition - to be assigned by ATC.

NOTE: Do not file PYREX Transition at or above FL240 - to be assigned by ATC.

CANOA TRANSITION (CANOA.BHHIA3)

CITAG TRANSITION (CITAG.BHHIA3)

HULKY TRANSITION (HULKY.BHHIA3)

IKBIX TRANSITION (IKBIX.BHHIA3)

KARTR TRANSITION (KARTR.BHHIA3)

MAXIM TRANSITION (MAXIM.BHHIA3)

PYREX TRANSITION (PYREX.BHHIA3)

STOGY TRANSITION (STOGY.BHHIA3)

GRACK
FL270 280K

LULLS

CANOA

MAXIM

(CONTINUED ON FOLLOWING PAGE)

NOTE: Chart not to scale.

FORT LAUDERDALE, FLORIDA

(BHHIA.BHHIA3) 03NOV22

BHHIA THREE ARRIVAL (RNAV)
(BHHIA.BHHIA3) 03NOV22

Arrival Routes

FORT LAUDERDALE, FLORIDA


MIAMI APP CON
120.5 350.225
FLL D-ATIS
135.0
FXE ATIS
119.85
OPF ATIS
125.9
PMP ATIS
120.55

NOTE: Jet aircraft only.

NOTE: Expect "descend via" clearance and landing direction
(east or west) by ARTCC. For vertical navigation planning, FLL
landing east, select Rwy 10R, FLL landing west, select Rwy 28R.

RNAV 1-DME/DME/IRU or GPS.

RADAR required.



(NARRATIVE ON FOLLOWING PAGE)

NOTE: Chart not to scale.

(BHHIA.BHHIA3) 22307
BHHIA THREE ARRIVAL (RNAV)

AL-744 (FAA)
Arrival Routes

FORT LAUDERDALE, FLORIDA

ARRIVAL ROUTE DESCRIPTION

- KFLL: From BHHIA on track 035° to cross ADUBE at 7000.
- LANDING KFLL RUNWAY 10L: From ADUBE on track 083° to cross HOLID at 5000. Expect ILS or LOC Rwy 10L approach.
- LANDING KFLL RUNWAY 10R: From ADUBE on track 086° to cross BUNKR at 5000. Expect ILS or LOC Rwy 10R approach.
- LANDING KFLL RUNWAYS 28L/R: From ADUBE on track 080° to FIPKO, then on track 089° to cross BEPAC at 6000, then on track 092° to cross FAMBA at 6000, then on track 096°. Expect RADAR vectors to final approach course.
- LANDING KFXE/KPMP: From BHHIA on track 035° to cross CEMDI at 7000, then on track 035°. Expect RADAR vectors to final approach course.
- LANDING KOPF: From BHHIA on track 035° to cross CEMDI at 7000, then on heading 081°. Expect RADAR vectors to final approach course.